


RX420(vSpace) 2-in-1 Thin Client









RX420(vSpace) Key Benefits







RX420(vSpace)

- Ideal product for customers looking at low per seat cost for simple use case
- Save 50% cost with Dual User Mode Deployment
- Good for Primary & Secondary Education
- Good for Computer Lab deployments
- Good for Small Business



Primary Education



Govt Education



Small Business



RX420(vSpace) - Specification



RX420(vSpace) – Dual use mode

Mode-1: For Hi-Performance Dual Monitor vSpace use case

Mode-2: Two user mode - save the cost by 50%



Specifications

- 1.5Ghz, QC A72, 1Gbps E-net, Dual Band Wi-Fi
- Native 2-Micro-HDMI Display Ports
- 4 USB, RJ-45, Audio Out
- 5.1W Power
- 5 Yrs vSpace Pro Ent License bundle
- vCast & UXP Turbo, VPN Client
- vSpace console
- 5 Yrs PMC Central Management S/w License bundle

* Does not support vSpace Pro LTS Ver



RX420(vSpace) – Mode-1 for Hi-Perf Dual Monitor



Mode-1

RX420(vSpace) – High Performance DUAL-MONITOR use-case

- One Device One User configuration
 - ex: for 10 User deployment you need 10 Qty of RX420(vSpace)
- Ideal for customers looking to run powerful applications
- Supports Native Dual Monitor
- Bundled 5 Yr vSpace Pro Ent Edition
- Bundled PMC Central Management Software





User-1



User-2

RX420(vSpace) – Mode-2 for Two User with 1 device




Mode-2

RX420(vSpace) – Two User Mode to save cost by 50%

- One Device Two User configuration
 - (ex: for 10 User deployment need only 5 Qty of RX420(vSpace)
- Deploy 2 Users on 1 Device
- Ideal for customers looking to run Standard day to day applications
- Dedicated Monitor, KBD & Mouse Ports for User1 & User2
- Both users should be sitting next to each other
- Saves cost by 50%
- Bundled 5 Yr vSpace Pro Ent Edition & PMC License
- Optional XD4 dongles to expand distance & USB ports







Optional XD4 dongles to expand available USB ports

RX420(vSpace) – Dual User Mode – Typical Deployment




Schematic showing 16 user's deployment with 8 Units of RX420(vSpace)

Benefits:

- Only 8 Units for 16 Users
- Only 8 Power & N/w points for 16 users
- 2.5 W power consumption per user
- Save cost by 50%





RX420(vSpace) Ordering Information

Main Unit



Part No	Model	Description
500-0218	RX420(vSpace) with 5-Year vSpacePro AMP bundled	Rpi 4B, 1.5GHz, 2GB, SD 32GB, WITH 5-Year vSpacePro AMP 5 bundled
Optional Accessories		
500-0220	XD4DUO for RX420(vSpace)	Optional XD4 Dongle Kits(XD4 x 2, USB cables x 2 by 2meter long)
700-0035	Micro HI)MI (able kit (2ncs)	2 Sets of Micro-HDMI to HDMI cable (1.2m length) for RX420(RDP)/RX440(RDP)



"The Customer is Always Right"





Micro HDMI Cable Kit

Open Market Accessories





Micro-HDMI to VGA cable with audio 3.5mm output

Extend 1-HDMI to VGA Monitor + Analog Audio



Standard USB Hub

• Extend distance & connect KBD/Mouse



PRODUCT RESOURCES



- 1. NComputing Website: www.ncomputing.com
 - Brochures, White papers, Downloads etc.
 - Register & log in to access resources
- 2. Video Resources: www.vimeo.com/ncomputing
- 3. KB Articles: https://support.ncomputing.com/portal/en/home







Thank You



